



# TEST REPORT

Send To: 3E360  
STOPAQ EUROPE B.V.  
GASSELTERSTRAAT 20  
9503 JB STADSKANAAL  
THE NETHERLANDS  
Attn: MR. J. F. DODDEMA

Customer: 3E360  
STOPAQ EUROPE B.V.  
GASSELTERSTRAAT 20  
9503 JB STADSKANAAL  
THE NETHERLANDS  
Attn: MR. J. F. DODDEMA


Plant: 3E362  
STOPAQ EUROPE B.V.  
GASSELTERSTRAAT 20  
9503 JB STADSKANAAL  
THE NETHERLANDS  
Attn: MR. M. NOOREN

Product: Wrappingband CZ H  
Trade Designation : Wrappingband CZ H  
Test Type: QQ - Qualification Testing

Thank you for having your product tested by NSF.

The enclosed report details the result of the testing performed on your product. Your program representative will be contacting you in the near future if there are any remaining issues concerning the status of this product.

Please do not hesitate to contact us if you have any immediate questions pertaining to your product.

Reviewer:   
Clifton Mclellan - Director, Toxicology Services

Status: **Complete**

CC: Program: 261 - DWA Std. 61 (Health Effects Testing)  
Program Rep CHRISTIE MILLER  
Region: 02 - Europe  
PA Project: 232826

**General Information**

Standard: 061 - DRINKING WATER SYSTEM COMPONENTS - HEALTH EFFECTS

Class Function - JASM/SLT

DCC Number / Tracking ID - IA16245

Sample Description - Wrappingband CZ H

Trade Designation - Wrappingband CZ H

Sample Id: **S-0000314685**  
 Description: Wrappingband CZ H, Sample exposed at 60C and pH 5  
 Sampled Date: 10/20/2006  
 Received Date: 09/14/2006

**Normalization Information:**

Date exposure completed:	20-OCT-2006	Calculated N1:	0.53	Field Exposure Time:	16 hours	Lab Exposure Time	16.50 hours
Field Surface Area:	7.3 in2	Lab Surface Area:	13.2 in2	Calculated N2:	1.00	Calculated N4:	1.000
				Constant N2:	1	Misc. Factor:	1
Field Static Volume:	1 L	Lab Static Volume:	0.960 L				
				Calculated NFm:	1.00		

Compound Reference Key: TAC

Testing Parameter	Sample	Control	Result	Normalized Result	Units
<b>Chemistry Lab</b>					
* Standard 61 Additives LAB SUM TEST Code					
Mass applied	24740		24740		mg
Note: [ C1031/1 ] Product was applied on steel slides.					
Aluminum in Drinking Water by ICPMS ( Ref: EPA-200.8)					
Aluminum	ND(10)	26	ND(10)	ND(5)	ug/L
Total Arsenic in Drinking Water by ICPMS ( Ref: EPA-200.8)					
Arsenic	ND(1)	ND(1)	ND(1)	ND(0.5)	ug/L
Barium in Drinking Water by ICPMS ( Ref: EPA-200.8)					
Barium	ND(1)	1	ND(1)	ND(0.5)	ug/L
Beryllium in Drinking Water by ICPMS ( Ref: EPA-200.8)					
Beryllium	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
Bismuth in Drinking Water by ICPMS ( Ref: EPA-200.8)					
Bismuth	ND(1)	ND(1)	ND(1)	ND(0.5)	ug/L
Cadmium in Drinking Water by ICPMS ( Ref: EPA-200.8)					
Cadmium	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.2)	ug/L
Chromium in Drinking Water by ICPMS ( Ref: EPA-200.8)					
Chromium	ND(1)	ND(1)	ND(1)	ND(0.5)	ug/L
Copper in Drinking Water by ICPMS ( Ref: EPA-200.8)					
Copper	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Mercury in Drinking Water by ICPMS ( Ref: EPA-200.8)					
Mercury	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)	ug/L
Nickel in Drinking Water by ICPMS ( Ref: EPA-200.8)					
Nickel	ND(1)	ND(1)	ND(1)	ND(0.5)	ug/L
Lead in Drinking Water by ICPMS ( Ref: EPA-200.8)					

Testing Parameter	Sample	Control	Result	Normalized Result	Units
<b>Chemistry Lab ( Cont'd )</b>					
Lead	ND(1)	ND(1)	ND(1)	ND(0.5)	ug/L
Antimony in Drinking Water by ICPMS ( Ref: EPA-200.8)					
Antimony	ND(0.6)	ND(0.6)	ND(0.6)	ND(0.3)	ug/L
Selenium in Drinking Water by ICPMS ( Ref: EPA-200.8)					
Selenium	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Tin in Drinking Water by IPC/MS (Ref: EPA-200.8 )					
Tin	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
Strontium in Drinking Water by ICPMS (Ref: EPA-200.8 )					
Strontium	ND(1)	ND(1)	ND(1)	ND(0.5)	ug/L
Thallium in Drinking Water by ICPMS ( Ref: EPA-200.8)					
Thallium	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)	ug/L
Zinc in Drinking Water by ICPMS ( Ref: EPA-200.8)					
Zinc	18	24	ND(10)	ND(5)	ug/L
Silver in Water by ICP/MS ( Ref: EPA-200.8)					
Silver	ND(1)	ND(1)	ND(1)	ND(0.5)	ug/L

Sample Id: **S-0000314686**  
Description: Wrappingband CZ H, Sample exposed at 60C and pH 10  
Sampled Date: 10/20/2006  
Received Date: 09/14/2006

**Normalization Information:**

Date exposure completed:	20-OCT-2006	Calculated N1:	0.53	Field Exposure Time:	16 hours	Lab Exposure Time	16.50 hours
Field Surface Area:	7.3 in2	Lab Surface Area:	13.2 in2	Calculated N2:	1.00	Calculated N4:	1.000
				Constant N2:	1	Misc. Factor:	1
Field Static Volume:	1 L	Lab Static Volume:	0.960 L				
				Calculated NFm:	1.00		

Compound Reference Key: TAC

Testing Parameter	Sample	Control	Result	Normalized Result	Units
<b>Chemistry Lab</b>					
* Standard 61 Additives LAB SUM TEST Code					
Mass applied	25130		25130		mg
Note: [ C1031/1 ]					
Product was applied on steel slides.					
Aluminum in Drinking Water by ICPMS ( Ref: EPA-200.8)					
Aluminum	ND(10)	ND(10)	ND(10)	ND(5)	ug/L
Total Arsenic in Drinking Water by ICPMS ( Ref: EPA-200.8)					
Arsenic	ND(1)	ND(1)	ND(1)	ND(0.5)	ug/L
Barium in Drinking Water by ICPMS ( Ref: EPA-200.8)					
Barium	ND(1)	ND(1)	ND(1)	ND(0.5)	ug/L
Beryllium in Drinking Water by ICPMS ( Ref: EPA-200.8)					
Beryllium	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
Bismuth in Drinking Water by ICPMS ( Ref: EPA-200.8)					

Testing Parameter	Sample	Control	Result	Normalized Result	Units
<b>Chemistry Lab ( Cont'd )</b>					
Bismuth	ND(1)	ND(1)	ND(1)	ND(0.5)	ug/L
Cadmium in Drinking Water by ICPMS ( Ref: EPA-200.8)					
Cadmium	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.2)	ug/L
Chromium in Drinking Water by ICPMS ( Ref: EPA-200.8)					
Chromium	ND(1)	ND(1)	ND(1)	ND(0.5)	ug/L
Copper in Drinking Water by ICPMS ( Ref: EPA-200.8)					
Copper	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Mercury in Drinking Water by ICPMS ( Ref: EPA-200.8)					
Mercury	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)	ug/L
Nickel in Drinking Water by ICPMS ( Ref: EPA-200.8)					
Nickel	ND(1)	ND(1)	ND(1)	ND(0.5)	ug/L
Lead in Drinking Water by ICPMS ( Ref: EPA-200.8)					
Lead	ND(1)	ND(1)	ND(1)	ND(0.5)	ug/L
Antimony in Drinking Water by ICPMS ( Ref: EPA-200.8)					
Antimony	ND(0.6)	ND(0.6)	ND(0.6)	ND(0.3)	ug/L
Selenium in Drinking Water by ICPMS ( Ref: EPA-200.8)					
Selenium	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Tin in Drinking Water by IPC/MS (Ref: EPA-200.8 )					
Tin	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
Strontium in Drinking Water by ICPMS (Ref: EPA-200.8 )					
Strontium	ND(1)	ND(1)	ND(1)	ND(0.5)	ug/L
Thallium in Drinking Water by ICPMS ( Ref: EPA-200.8)					
Thallium	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)	ug/L
Zinc in Drinking Water by ICPMS ( Ref: EPA-200.8)					
Zinc	10	ND(10)	ND(10)	ND(5)	ug/L
Silver in Water by ICP/MS ( Ref: EPA-200.8)					
Silver	ND(1)	ND(1)	ND(1)	ND(0.5)	ug/L

Sample Id: **S-0000314687**  
Description: Wrappingband CZ H, Sample exposed at 60C and pH 8  
Sampled Date: 10/20/2006  
Received Date: 09/14/2006

Normalization Information:							
Date exposure completed:	20-OCT-2006	Calculated N1:	0.52	Field Exposure Time:	16 hours	Lab Exposure Time	16.50 hours
Field Surface Area:	7.3 in2	Lab Surface Area:	26.4 in2	Calculated N2:	1.00	Calculated N4:	1.000
				Constant N2:	1	Misc. Factor:	1
Field Static Volume:	1 L	Lab Static Volume:	1.90 L				
				Calculated NFm:	1.00		
Compound Reference Key:	TAC						

Testing Parameter	Sample	Control	Result	Normalized Result	Units
<b>Chemistry Lab</b>					
* Standard 61 Additives LAB SUM TEST Code					
Mass applied	49590		49590		mg

Testing Parameter	Sample	Control	Result	Normalized Result	Units
<b>Chemistry Lab ( Cont'd )</b>					
Note: [ C1031/1 ]					
Product was applied on steel slides.					
Semivolatle Compounds, Base/Neutral/Acid 625 Scan, Data Workup					
No Compounds Detected	ND(4)	Complete	ND(4)	ND(2)	ug/L
Semivolatle Compounds, Base/Neutral/Acid Target 625, Data Workup					
Nitrosodimethylamine (N-)	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
N-Nitrosomethylethylamine	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Nitrosodiethylamine (N-)	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Cyclohexanone	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Phenol	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Aniline	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
2-Chlorophenol	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
3-Cyclohexene-1-carbonitrile	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
2-Ethylhexanol	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Benzyl alcohol	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
2-Methylphenol (o-Cresol)	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
4-Methylphenol (p-Cresol)	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
N-Nitrosopyrrolidine	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
N-Nitrosodi-n-propylamine	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Acetophenone	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
N-Nitrosomorpholine	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
2-Phenyl-2-propanol	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
N-Nitrosopiperidine	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Triethylphosphate	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Isophorone	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
2,4-Dimethylphenol	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Naphthalene	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Benzothiazole	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
N-Nitrosodi-n-butylamine	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
p-tert-Butylphenol	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Methylnaphthalene, 2-	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
1(3H)-Isobenzofuranone	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Benzyl alcohol, a,a-dimethyl-p-isopropyl-	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
1,1'-(1,3-Phenylene)bis ethanone	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Dimethylphthalate	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
1,1'-(1,4-Phenylene)bis ethanone	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Benzenedimethanol, a,a,a',a'-tetramethyl-1,3-	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Acenaphthylene	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Benzenedimethanol, a,a,a',a'-Tetramethyl-1,4-	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
2,4-Di-tert-butylphenol	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Dimethyl terephthalate	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Acenaphthene	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Ethyl-4-ethoxybenzoate	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Diethyl Phthalate	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Fluorene	ND(4)	ND(4)	ND(4)	ND(2)	ug/L

Testing Parameter	Sample	Control	Result	Normalized Result	Units
<b>Chemistry Lab ( Cont'd )</b>					
Nitrosodiphenylamine (N-)	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Phenanthrene	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Anthracene	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Dibutyl phthalate	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Fluoranthene	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Pyrene	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Butyl benzyl phthalate	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Benzo(a)anthracene	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Di(2-ethylhexyl)phthalate	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Di(2-ethylhexyl)adipate	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Chrysene	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Di-n-octylphthalate	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Benzo(b)fluoranthene	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Benzo(k)fluoranthene	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Benzo(a)pyrene (PAH)	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Dibenzo(a,h)anthracene	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Indeno(1,2,3-cd)pyrene	ND(4)	ND(4)	ND(4)	ND(2)	ug/L
Benzo(g,h,i)perylene	ND(4)	ND(4)	ND(4)	ND(2)	ug/L

Sample Id: **S-0000314688**  
Description: Wrappingband CZ H, Sample exposed at 60C and pH 8  
Sampled Date: 10/20/2006  
Received Date: 09/14/2006

Normalization Information:							
Date exposure completed:	20-OCT-2006	Calculated N1:	0.52	Field Exposure Time:	16 hours	Lab Exposure Time	16 hours
Field Surface Area:	7.3 in2	Lab Surface Area:	13.2 in2	Calculated N2:	1.00	Calculated N4:	1.000
				Constant N2:	1	Misc. Factor:	1
Field Static Volume:	1 L	Lab Static Volume:	0.950 L				
				Calculated NFm:	1.00		
Compound Reference Key:	TAC						

Testing Parameter	Sample	Control	Result	Normalized Result	Units
<b>Chemistry Lab</b>					
* Standard 61 Additives LAB SUM TEST Code					
Mass applied	24880		24880		mg
Note: [ C1031/1 ]					
Product was applied on steel slides.					
* Isobutylene (2-Methylpropene) EPA 502.2					
Isobutylene	ND(5)	Complete	ND(5)	ND(3)	ug/L
Volatiles: Unregulated VOC's by EPA 502.2					
Dichlorodifluoromethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
Chloromethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
Vinyl Chloride	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L

Testing Parameter	Sample	Control	Result	Normalized Result	Units
<b>Chemistry Lab ( Cont'd )</b>					
Bromomethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
Chloroethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
Trichlorofluoromethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
Trichlorotrifluoroethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
1,1-Dichloroethylene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
Methylene Chloride	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
trans-1,2-Dichloroethylene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
1,1-Dichloroethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
2,2-Dichloropropane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
cis-1,2-Dichloroethylene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
Chloroform	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
Bromochloromethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
1,1,1-Trichloroethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
1,1-Dichloropropene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
Carbon Tetrachloride	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
1,2-Dichloroethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
Trichloroethylene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
1,2-Dichloropropane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
Bromodichloromethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
Dibromomethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
cis-1,3-Dichloropropene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
trans-1,3-Dichloropropene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
1,1,2-Trichloroethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
1,3-Dichloropropane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
Tetrachloroethylene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
Chlorodibromomethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
Chlorobenzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
1,1,1,2-Tetrachloroethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
Bromoform	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
1,1,2,2-Tetrachloroethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
1,2,3-Trichloropropane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
1,3-Dichlorobenzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
1,4-Dichlorobenzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
1,2-Dichlorobenzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
Carbon Disulfide	ND(1)	ND(1)	ND(1)	ND(0.5)	ug/L
Methyl-tert-Butyl Ether (MTBE)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
Methyl Ethyl Ketone	ND(5)	ND(5)	ND(5)	ND(3)	ug/L
Methyl Isobutyl Ketone	ND(5)	ND(5)	ND(5)	ND(3)	ug/L
Toluene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
Ethyl Benzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
m+p-Xylenes	ND(1)	ND(1)	ND(1)	ND(0.5)	ug/L
o-Xylene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
Styrene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
Isopropylbenzene (Cumene)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
n-Propylbenzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L

Testing Parameter	Sample	Control	Result	Normalized Result	Units
<b>Chemistry Lab ( Cont'd )</b>					
Bromobenzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
2-Chlorotoluene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
4-Chlorotoluene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
1,3,5-Trimethylbenzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
tert-Butylbenzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
1,2,4-Trimethylbenzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
sec-Butylbenzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
p-Isopropyltoluene (Cymene)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
1,2,3-Trimethylbenzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
n-Butylbenzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
1,2,4-Trichlorobenzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
Hexachlorobutadiene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
1,2,3-Trichlorobenzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
Naphthalene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
Benzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L
Total Trihalomethanes	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.3)	ug/L

**Testing Laboratories:**

	<u>Flag</u>	<u>Id</u>	<u>Address</u>
All work performed at: (Unless otherwise specified)	→	NSF_AA	NSF International 789 Dixboro Road Ann Arbor MI 48105-0140 USA

**References to Testing Procedures:**

<u>NSF Reference</u>	<u>Parameter / Test Description</u>
C1031	* Standard 61 Additives LAB SUM TEST Code
C2023	Semivolatile Compounds, Base/Neutral/Acid 625 Scan, Data Workup
C2024	Semivolatile Compounds, Base/Neutral/Acid Target 625, Data Workup
C3032	Aluminum in Drinking Water by ICPMS ( Ref: EPA-200.8)
C3035	Total Arsenic in Drinking Water by ICPMS ( Ref: EPA-200.8)
C3038	Barium in Drinking Water by ICPMS ( Ref: EPA-200.8)
C3041	Beryllium in Drinking Water by ICPMS ( Ref: EPA-200.8)
C3043	Bismuth in Drinking Water by ICPMS ( Ref: EPA-200.8)
C3046	Cadmium in Drinking Water by ICPMS ( Ref: EPA-200.8)
C3052	Chromium in Drinking Water by ICPMS ( Ref: EPA-200.8)
C3058	Copper in Drinking Water by ICPMS ( Ref: EPA-200.8)
C3071	Mercury in Drinking Water by ICPMS ( Ref: EPA-200.8)
C3095	Nickel in Drinking Water by ICPMS ( Ref: EPA-200.8)
C3100	Lead in Drinking Water by ICPMS ( Ref: EPA-200.8)
C3113	Antimony in Drinking Water by ICPMS ( Ref: EPA-200.8)
C3115	Selenium in Drinking Water by ICPMS ( Ref: EPA-200.8)
C3121	Tin in Drinking Water by IPC/MS (Ref: EPA-200.8 )
C3122	Strontium in Drinking Water by ICPMS (Ref: EPA-200.8 )
C3127	Thallium in Drinking Water by ICPMS ( Ref: EPA-200.8)
C3135	Zinc in Drinking Water by ICPMS ( Ref: EPA-200.8)
C4224	* Isobutylene (2-Methylpropene) EPA 502.2
C4416	Volatiles: Unregulated VOC's by EPA 502.2
C6430	Silver in Water by ICP/MS ( Ref: EPA-200.8)

Test descriptions preceded by an asterisk "\*" indicate that testing has been performed per NSF International requirements but is not within its scope of accreditation.